

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>A23G 3/30, 3/00, A23L 1/226</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 99/07235</b> <b>(43) International Publication Date:</b> 18 February 1999 (18.02.99)
<b>(21) International Application Number:</b> PCT/US98/16578 <b>(22) International Filing Date:</b> 11 August 1998 (11.08.98) <b>(30) Priority Data:</b> 60/055,447 11 August 1997 (11.08.97) US <b>(71) Applicant:</b> WARNER-LAMBERT COMPANY [US/US]; 201 Tabor Road, Morris Plains, NJ 07950 (US). <b>(72) Inventors:</b> BARCELON, Shirley, Ann; Apartment K53, 44 Center Grove Road, Randolph, NJ 07869 (US). KIEFER, Jesse, J.; 2 High Rock Drive, Belvidere, NJ 07823 (US). OLAYA, Hector; 350 Baldwin Road, Parsippany, NJ 07954 (US). LUO, Shiuh, John; 51 Woodcrest Drive, Livingston, NJ 07039 (US). <b>(74) Agents:</b> RYAN, M., Andrea; Warner-Lambert Company, 201 Tabor Road, Morris Plains, NJ 07950 (US) et al.		<b>(81) Designated States:</b> AL, AU, BA, BB, BG, BR, CA, CN, CZ, EE, GE, HR, HU, ID, IL, IS, JP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, UZ, VN, YU, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i>
<b>(54) Title:</b> ENHANCED FLAVORING COMPOSITIONS CONTAINING N-ETHYL-P-MENTHANE-3-CARBOXAMIDE AND METHOD OF MAKING AND USING SAME  <b>(57) Abstract</b>  Enhanced flavoring compositions containing at least one flavoring agent and an effective amount of N-ethyl-p-menthane-3-carboxamide are provided. The N-ethyl-p-menthane-3-carboxamide is present at about 0.04 to about 2.2 % by weight of the enhanced flavoring composition. The invention further concerns chewing gums and confectionary compositions containing a flavoring effective amount of the enhanced flavoring compositions.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

ENHANCED FLAVORING COMPOSITIONS CONTAINING N-ETHYL-P-  
MENTHANE-3-CARBOXAMIDE AND METHOD OF MAKING AND USING SAME

5

## BACKGROUND OF THE INVENTION

### Field of the Invention:

This invention relates to enhanced flavoring compositions containing N-ethyl-p-menthane-3-carboxamide, confectionery compositions and chewing gums containing the enhanced flavoring compositions and methods of making the same.

### Description of the Prior Art:

Much work has been done in the food arts to enhance the impact of the flavors used in confectionery products and chewing gums. Flavor ingredients for use in these end products have been coated, encapsulated, combined with other active and inactive ingredients, and the like. U.S. Patents 3,857,964, 3,897,566, 3,930,026, 4,388,328, 4,485,118, 4,568,560, 4,590,075, 4,752,481, 4,803,082, 5,004,595, 5,041,294, 5,266,335 and 5,284,659 all concern aspects of flavor modification.

Much of the effort was directed toward control of flavor release in the end product, particularly in gum products. The release of the flavor from a food product is largely determined by the matrix of the food product. Gum products, having a matrix composed of an elastomeric gum base, corn syrup and sweetener, withhold flavor, usually at 60-75% of the amount of flavor used, the percentage depending somewhat on the flavor's affinity for the matrix. Higher amounts of flavors are therefore used in gums in order to provide a perceptible flavor effect.

30

Particular attention has been paid to enhancing the impact of fruit flavors in chewing gums. Because of their chemical makeup, fruit flavors have a particularly

high affinity for gum base. Fruit flavors also have a light flavor quality which provides for a low flavor impact. U.S. Patent 5,158,790, for example, teaches the use of L-carvone with fruit flavors to overcome these deficits and enhance sweetness and flavor. U.S. Patents 5,415,888 and 5,429,827 teach the use of a  
5 polymer restrainer having a particular solubility parameter relative to the fruit flavor to control release.

The synergistic effects provided by the use of substances as flavor enhancers is also well known in the food arts. Synergism in flavoring is the  
10 addition of very small amounts of a non-specific material to accentuate the specific flavoring material. Known synergisms include for example, the use of citric acid in peppermint to accentuate the peppermint, vanilla in chocolate to accentuate the chocolate flavor, oil of lemon in molasses, oil of peppermint in licorice or anise, and the use of salt in most candies except butter flavored candies.

15 Cooling agents are compounds used in confectionery compositions and chewing gums for their cooling sensation and breath freshening effects with or without the presence of flavoring agents. Menthol is perhaps the best known cooling agent but one with well-known drawbacks such as high volatility, bitterness  
20 and a strong minty flavor. N-ethyl-p-menthane-3-carboxamide is also known as a cooling agent. U. S. Patent 4,193,936 teaches N-ethyl-p-menthane-3-carboxamide as being less volatile than menthol and having little or no odor. U.S. Patents 4,060,091, 4,136,163, and 5,405,604 teach the use of N-ethyl-p-menthane-3-carboxamide as a cooling agent in edible compositions. U. S. Patent 5,009,893,  
25 U.S. Patent 5,244,670, WO 93/23005 and WO 93/25177 all disclose use of N-ethyl-p-menthane-3-carboxamide as an adjuvant with other cooling agents including menthol. WO 97/06695 teaches however that compounds used as cooling agents all have a negative impact on flavors, particularly fruit flavors. WO 97/06695 further teaches that in order to avoid the problem, flavors and cooling agents must be  
30 formulated into distinct and discreet regions of the confectionery product.

Thus it is known to use N-ethyl-p-menthane-3-carboxamide to provide cooling effects and enhancement of breath freshening effects, particularly in mint-flavored gum and confectionery products. The food arts however do not teach the use of N-ethyl-p-menthane-3-carboxamide as a flavor enhancer. More specifically, 5 the art does not teach the use of N-ethyl-p-menthane-3-carboxamide in combination with flavors, particularly in combination with fruit flavors, in gum and confectionery products, at levels which produce synergistic effects.

### SUMMARY OF THE INVENTION

10

The present invention provides an enhanced flavoring composition comprising at least one flavoring agent and an amount of N-ethyl-p-menthane-3-carboxamide effective to enhance the flavoring agent wherein the N-ethyl-p-menthane-3-carboxamide is present at about 0.04 to about 2.2 % by weight of the 15 enhanced flavoring composition. The invention further concerns a method for enhancing a flavoring agent which comprises adding thereto an effective amount of N-ethyl-p-menthane-3-carboxamide at about 0.04 to about 2.2 % by weight of the combination. The invention further concerns chewing gums and confectionery compositions containing a flavoring effective amount of the enhanced flavoring 20 compositions.

### DETAILED DESCRIPTION OF THE INVENTION

It has now surprisingly been found that N-ethyl-p-menthane-3-carboxamide 25 can be used per se, as a flavor modifier to enhance the flavor of a flavoring agent. This synergistic effect is found when N-ethyl-p-menthane-3-carboxamide is used at low levels in combination with the flavoring agent. The character of the flavor is generally found to be sharper or brighter, punctuated, more defined and longer-lasting when compared with compositions containing the same flavoring agent 30 without N-ethyl-p-menthane-3-carboxamide. The enhanced flavoring composition provides a long lasting flavor sensation to food compositions such as gums and confections, particularly to fruit flavored chewing gums.

The term "flavor" is used herein to mean the sensation produced by a material taken in the mouth, perceived principally by the senses of taste and smell. Flavor is also taken to mean the sum of the characteristics of the material which produces that sensation. The term "flavoring agent" is used herein to mean the composition of natural or synthetic oils which produces the flavor sensation. Flavoring agents are well known in the confectionery arts.

Flavors contemplated herein include fruit flavors such as berry, citrus, tropical fruit flavors and the like; herbal such as cinnamon, anise, coriander, eucalyptus, ginseng, fennel and the like; sweet such as honey, caramel, toffee, molasses and the like; and spice such as nutmeg, pepper, cinnamon, caramon, ginger, clove and the like.

The enhancement and perceived prolongation of fruit flavors is a preferred application of the present invention. Fruit flavors may be natural or synthetically produced and typically contain a combination of aromatic hydrocarbons such as esters, aldehydes and ketones, essential oils from plant materials such as orange oil, lemon oil or other natural oils, and distillates from botanical ingredients. Fruit flavors include but are not limited to, lemon, orange, lime, apricot, grapefruit, banana, cherry, apple, pineapple, grape, strawberry and blends such as tutti frutti and fruit punch and the like.

The amounts of the flavoring agent and the N-ethyl-p-menthane-3-carboxamide in the enhanced flavoring composition will be from about 99.96% to about 97.8% of flavoring agent and about 0.04% to about 2.2% of N-ethyl-p-menthane-3-carboxamide, with 0.4% to 1.1% of N-ethyl-p-menthane-3-carboxamide being preferred. The amounts will depend somewhat on such factors as the flavor type, the end use and the effect desired.

30

The amount of the enhanced flavoring composition to be used in the end product will also be dependent on the flavor type, the end product and the effect

desired. In general the enhanced flavoring composition may suitably be used in confectionery compositions in a range of about 0.10% to about 1.0% by weight of the confection with 0.2% to 0.5% preferred. For chewing gums a higher range of about 0.8 to about 3.5% is suitable with 1.0% to 3.0% preferred.

5

The enhanced flavoring compositions of the present invention may be used in edible products such as hard and soft confections, and chewing gums. The preparation of confectionery formulations is historically well known and has changed little through the years. In general a hard boiled candy confection has a base composed of a mixture of sugar and other carbohydrate bulking agents kept in an amorphous or glassy condition, preferably having from about 0.5% to about 1.5% moisture. The base normally contains up to about 80% sugar and up to 65% corn syrup, with a higher sucrose to corn syrup ratio. Further ingredients such as flavoring agents, sweetening agents, acidulants, colorants and so forth may also be added. Hard boiled candies may also be prepared from non-fermentable sugars such as sorbitol, mannitol, xylitol, maltitol, erythritol, hydrogenated starch hydrolysates and the like.

Such confectionery may be routinely prepared by conventional methods such as those involving fire cookers, vacuum cookers, and scraped-surface cookers also referred to as high speed atmospheric cookers. Once the candy mass has been properly tempered, it may be cut into workable portions or formed into desired shapes. A variety of forming techniques may be utilized depending upon the shape and size of the final product desired. A general discussion of the composition and preparation of hard confections may be found in E. B. Jackson, Ed. "Sugar Confectionery Manufacture", 2nd edition, Blackie Academic & Professional Press, Glasgow UK, (1990), at pages 129-169.

Similar to hard candy confection, soft candy confection may be utilize this invention. Soft candy includes fondants, caramels toffees, fudge, marshmallows and nougats and the like and may also include jams and jellies. The preparation of soft confections, such as nougat, involves conventional methods, such as the

combination of two primary components, namely (1) a high boiling syrup such as a corn syrup, or the like, and (2) a relatively light textured frappe, generally prepared from egg albumin, gelatin, vegetable proteins, such as soy derived compounds, milk derived compounds such as milk proteins, and mixtures thereof. Further ingredients such as the enhanced flavoring agent, flavoring agents, additional carbohydrate bulking agent, colorants, preservatives, medicaments, mixtures thereof and the like may be added thereafter also under agitation. A general discussion of the composition and preparation of such confections may be found in E. B. Jackson, Ed. "Sugar Confectionery Manufacture", 2nd edition, Blackie Academic & Professional Press, Glasgow UK, (1990), at pages 170-235.

Compressed tablet confections and lozenges are also within the scope of edible confectionery compositions of the present invention. Compressed tablet confections contain particular materials and are formed into structures under pressure. These confections generally contain sugars or sugar substitutes in amounts up to about 95%, by weight of the composition, and typical tablet excipients such as binders and lubricants as well as the enhanced flavoring agent, flavoring agents, colorants and so forth. Lozenges are cut from a sheet of firm dough and dried to give a hard sweet with a rough surface. A general discussion of the composition and preparation of such confections may be found in E. B. Jackson, Ed. "Sugar Confectionery Manufacture", 2nd edition, Blackie Academic & Professional Press, Glasgow UK, (1990), at pages 236-258.

The enhanced flavoring compositions may likewise be used in chewing gums. The chewing gum composition generally comprises one or more natural or synthetic elastomer which is supplemented by conventional chewing gum ingredients. These ingredients include one or more solvents, plasticizers, fillers, flavoring agents, coloring agents and/or sweetening agents.

Elastomers which are suitable for use herein include substances of vegetable origin such as chicle, jelutong, gutta percha, guayale and crown gum. Synthetic elastomers such as butadiene-styrene copolymers, isobutylene-isoprene

copolymers, polyethylene, polyisobutylene, polyvinylacetate, and mixtures thereof are also useful. The elastomer generally comprises from about 14% to 50% by weight, preferably from about 20% to about 30% by weight, of the chewing gum composition.

5

The chewing gum composition can contain elastomer solvents to aid in softening the polymer component. Such elastomer solvents can include methyl, glycerol or pentaerythritol esters of rosins or modified rosins, such as hydrogenated, dimerized or polymerized rosins or mixtures thereof. Examples of elastomer solvents suitable for use herein include pentaerythritol ester of partially hydrogenated wood rosin, pentaerythritol ester of wood rosin, glycerol ester of partially dimerized rosin, glycerol ester of polymerized rosin, glycerol ester of tall oil rosin, glycerol ester of wood rosin, and partially hydrogenated wood rosin, and partially hydrogenated methyl ester of rosin, and mixtures thereof. Terpene resins, including polyterpene and mixtures thereof are also useful. The solvent can be employed in an amount ranging from about 10% to 75% and preferably about 15% to about 50% by weight of the chewing gum composition.

A variety of traditional ingredients used as plasticizers or emulsifiers such as lanolin, lecithin, glycerol monostearate, stearic acid, sodium stearate, potassium stearate, glycerol triacetate, triacetin, glycerine and the like can also be incorporated into the chewing gum composition to obtain a variety of textures and consistency properties. These additional materials also include waxes such as natural waxes, petroleum waxes and microcrystalline waxes and fats and oils including animal fats such as lard and tallow, vegetable oils such as soybean and cottonseed oil, hydrogenated and partially hydrogenated vegetable oil and cocoa butter. These ingredients are generally employed in amounts of up to about 30 % by weight, preferably 1% to 25% by weight and more preferably from about 3% to about 7% by weight of the final chewing gum composition.

30

The chewing gum composition can additionally include conventional coloring agents such as titanium dioxide, in amounts up to 2% and fillers such as dicalcium

phosphate, magnesium carbonate, aluminum hydroxide, alumina, aluminum silicates, talc, calcium carbonate, cellulose, and combinations thereof in amounts of from 5 to 35 % by weight of the final composition.

5           The chewing gum composition may also contain bulk sweeteners including sugars such as sucrose, dextrose, maltose, fructose and the like or sugar alcohols such as sorbitol, mannitol, xylitol, maltitol, isomalt, erythritol and hydrogenated starch hydrolysates and combinations thereof. Bulk sweeteners may be present in amounts up to 90% by weight of the final composition. High intensity sweeteners  
10       such as aspartame, acesulfame salts, aliatame saccharin and the like may also be present. These sweeteners may be present in amounts of up to 1% by weight of the final gum composition.

          The chewing gum may contain flavoring agents in addition to the enhanced  
15       flavoring compositions in amounts up to 3.5%. Generally any food additive such as those described in "Chemicals Used In Food Processing", publication 1274, pages 63-258, by the National Academy of Sciences, may be used.

          The chewing gum is generally manufactured by methods known in the art by  
20       sequentially adding the various chewing gum components to any commercial mixer or extruder in a batch or continuous process. The enhanced flavoring composition of the present invention is added to the chewing gum in the usual manner. After the ingredients have been thoroughly mixed the mass is discharged and cut, rolled, or shaped into the desired form.

25

          The invention is illustrated by the following non-limiting examples.

### EXAMPLES

30           N-ethyl-p-menthane-carboxamide is available as "WS-3" supplied by Sterling Organics.

Example I: Confection

A candy base (478.55 gms) was prepared by mixing a 55/45 ratio of granulated sugar and corn syrup with 47.9 gms of water and cooking the mixture to 145°C. The cooked base was transferred to a cooling table and 21.25 gms of a flavor premix was kneaded into the base while cooling. The flavored candy was formed by rolling through a drop roller. The flavor premix consisted of 20.0 gms salvage, and 1.25 gms flavor for a 0.25% by weight of flavor in the candy.

To a similarly prepared candy base (478.55 gms) was added 21.45 gms of second flavor premix also containing 20.0 gms salvage, and 1.25 gms flavor, with the addition of 0.20 gms of a 5% ethanol solution of N-ethyl-p-menthane-carboxamide (.01gms) for a .002% by weight of N-ethyl-p-menthane-carboxamide in the candy, and a flavor to N-ethyl-p-menthane-carboxamide ratio of 99.2 to 0.8.

Honey, citrus spice, herbal and apple flavored candies were prepared by the above methods both with and without the N-ethyl-p-menthane-carboxamide in the flavor premix. The four flavor pairs were evaluated as follows:

FLAVOR	EVALUATION
Honey	- The carboxamide intensifies the honey character. It provides a better and more pleasant sensation of fullness or roundness to the honey flavor profile.
Citrus spice	- The carboxamide modifies the perception of the citrus spice flavor. It rounds out the flavor by blending the various notes into one flavor perception.
Herbal	- At this level, the carboxamide intensifies the bitter notes which leads to some distortion. Less than 0.002% would be preferred for this herbal flavor.
Apple	- The carboxamide brightens and better defines the apple notes of this flavor.

Nine people, randomly selected, were asked to evaluate the candies compounded with N-ethyl-p-menthane-carboxamide compared with the base candy without the additive. The evaluators were asked if the candy pairs "tasted

different". The following shows the number of people finding a different taste for the candy flavored as indicated: Citrus spice - 6; apple -5; honey -5; herbal -5.

#### Example II: Chewing Gum

5

##### A. Preparation

1. A citrus flavored chewing gum was prepared by conventional means from 22.0 gms gum base, 69.04 gms sweetener, 0.24 gms high intensity sweetener, 2.97 gms acidulant, 3.85 gms other conventional additives and 1.9 gms citrus  
10 flavoring agent. Two additional samples were prepared in which 0.02 gms and 0.04 gms respectively of the sweetener were replaced with the same amount of N-ethyl-p-menthane-carboxamide for a flavor to N-ethyl-p-menthane-carboxamide ratio of 98.96/1.04 and 97.94/2.06 respectively. The control and the two inventive examples were compared as described further below.

15 2. A cinnamon flavored chewing gum was prepared by conventional means from 22.0 gms gum base, 73.29 gms sweetener, 0.81 gms high intensity sweetener, 2.1 gms other conventional additives and 1.8 gms cinnamon flavoring agent. Two additional samples were prepared in which 0.02 gms and 0.04 gms  
20 respectively of the sweetener were replaced with the same amount of N-ethyl-p-menthane-carboxamide for a flavor to N-ethyl-p-menthane-carboxamide ratio of 98.90/1.10 and 97.83/2.17 respectively. The control and the two inventive examples were compared as described further below.

##### B. Comparisons:

25 At a N-ethyl-p-menthane-carboxamide usage level of 0.02% the release of N-ethyl-p-menthane-carboxamide was expected to be about 50ppm and at 0.04% usage level the release was expected to be about 100ppm. The flavor enhanced gum products were compared with the corresponding control samples by a panel of six people who were asked to evaluate the samples by commenting on perceived  
30 flavor differences and flavor liking. Four of the six panelists noted differences in the samples summarized as follows:

FLAVOR	N-ETHYL-P-MENTHANE-CARBOXAMIDE USAGE LEVEL	EVALUATION
citrus	0	good upfront citrusy impact with sweet sour notes
citrus	0.02%	more citrusy, better defined and better perceived acid character
citrus	0.04%	peely notes very defined, sharper acid notes with perceived bitterness and slight tingly/sensate cue
cinnamon	0	sweet cinnamon character with slight burning sensation
cinnamon	0.02%	defined difference; cinnamon spice character better defined with a perceived burn sensation
cinnamon	0.04%	cinnamon character has a harsh woody note and more burning sensation.

For both the citrus and the cinnamon flavors, 0.02 gms of N-ethyl-p-menthane-carboxamide provided a preferred enhancement of the flavors. At 0.04

5 gms, while the flavors were enhanced, less desirable notes were also perceived.

We claim:

1. An enhanced flavoring composition comprising at least one flavoring agent and an amount of N-ethyl-p-menthane-3-carboxamide effective to enhance said  
5 flavoring agent wherein said N-ethyl-p-menthane-3-carboxamide is present at about 0.04 to about 2.2 % by weight of said enhanced flavoring composition.
2. The enhanced flavoring composition according to claim 1 wherein said  
10 flavoring agent is selected from the group consisting of fruit, herbal, sweet and spice.
3. The enhanced flavoring composition according to claim 2 wherein said  
flavoring agent is fruit.
- 15 4. The enhanced flavoring composition according to claim 1 wherein said N-ethyl-p-menthane-3-carboxamide is present at 0.4% to 1.1%
5. A method for enhancing a flavoring agent which comprises adding thereto an amount of N-ethyl-p-menthane-3-carboxamide effective to enhance said  
20 flavoring agent wherein said N-ethyl-p-menthane-3-carboxamide is present at about 0.04 to about 2.2 % by weight of the combination.
6. The method according to claim 5 wherein said flavoring agent is selected from the group consisting of fruit, herbal, sweet and spice.  
25
7. The method according to claim 6 wherein said flavoring agent is fruit.
8. The method according to claim 5 wherein said N-ethyl-p-menthane-3-carboxamide is present in at 0.4% to 1.1%.  
30
9. A confectionery composition containing a flavoring effective amount of the enhanced flavoring composition of claim 1.

10. The confectionery composition according to claim 9 wherein said flavoring agent is selected from the group consisting of fruit, herbal, sweet and spice.
- 5 11. The confectionery composition according to claim 10 wherein said flavoring agent is fruit.
12. The confectionery composition according to claim 9 wherein said enhanced flavoring composition is present at about 0.10% to about 1.0% by weight of said  
10 confectionery composition.
13. The confectionery composition according to claim 12 wherein said enhanced flavoring composition is present at 0.2% to 0.5%.
- 15 14. A chewing gum containing a flavoring effective amount of the enhanced flavoring composition of claim 1.
15. The chewing gum according to claim 14 wherein said flavoring agent is selected from the group consisting of fruit, herbal, sweet and spice.
- 20 16. The chewing gum according to claim 15 wherein said flavoring agent is fruit.
17. The chewing gum according to claim 14 wherein said enhanced flavoring composition is present at about 0.8% to about 3.5%.
- 25 18. The chewing gum according to claim 17 wherein said enhanced flavoring composition is present at 1.0% to 3.0%.

# INTERNATIONAL SEARCH REPORT

Inte. onal Application No  
PCT/US 98/16578

<b>A. CLASSIFICATION OF SUBJECT MATTER</b> IPC 6    A23G3/30    A23G3/00    A23L1/226		
According to International Patent Classification (IPC) or to both national classification and IPC		
<b>B. FIELDS SEARCHED</b> Minimum documentation searched (classification system followed by classification symbols) IPC 6    A23G    A23L		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)		
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 372 824 A (RECORD ET AL.) 13 December 1994  see claims; example 3A ---	1,2,4-6, 8-10, 12-15, 17,18
X	US 5 009 893 A (CHERUKURI ET AL.) 23 April 1991 cited in the application see claims 1-18; examples 1,3; tables III,V ---	10-12, 14-18
A	GB 1 351 761 A (WILKINSON SWORD LTD) 1 May 1974 see claims 1,8,19; examples I,XXX --- <div style="text-align: right;">-/--</div>	1-18
<div style="display: flex; justify-content: space-between;"> <span><input checked="" type="checkbox"/> Further documents are listed in the continuation of box C.</span> <span><input checked="" type="checkbox"/> Patent family members are listed in annex.</span> </div>		
* Special categories of cited documents :		
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&amp;" document member of the same patent family</p> </div> </div>		
Date of the actual completion of the international search  <div style="text-align: center;">10 November 1998</div>		Date of mailing of the international search report  <div style="text-align: center;">17/11/1998</div>
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Authorized officer  <div style="text-align: center;">Lepretre, F</div>

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/16578

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>WO 97 06695 A (THE PROCTER &amp; GAMBLE COMPANY) 27 February 1997  cited in the application  see page 6  see page 10, paragraph 1  -----</p>	1, 10, 14

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/16578

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5372824 A	13-12-1994	AU 681135 B	21-08-1997
		AU 6491994 A	11-10-1994
		CA 2158732 A	29-09-1994
		DE 69403202 D	19-06-1997
		DE 69403202 T	20-11-1997
		EP 0690678 A	10-01-1996
		WO 9421135 A	29-09-1994
US 5009893 A	23-04-1991	CA 2021222 A,C	18-01-1991
		GB 2233873 A,B	23-01-1991
		JP 3053849 A	07-03-1991
GB 1351761 A	01-05-1974	AR 193061 A	30-03-1973
		AT 330361 B	25-06-1976
		AT 93172 A	15-09-1975
		AU 456393 B	29-11-1974
		AU 3860772 A	09-08-1973
		BE 778953 A	04-08-1972
		CA 969181 A	10-06-1975
		CH 556822 A	13-12-1974
		CH 548742 A	15-05-1974
		DD 100154 A	12-09-1973
		DE 2205255 A	30-11-1972
		DK 135305 B	04-04-1977
		EG 10723 A	30-04-1976
		FI 55330 B	30-03-1979
		FR 2127013 A	13-10-1972
		HK 49978 A	08-09-1978
		IE 36194 B	15-09-1976
		LU 64729 A	04-07-1972
		NL 7201523 A,B	08-08-1972
		SE 397189 B	24-10-1977
		US 4193936 A	18-03-1980
		US 4178459 A	11-12-1979
		US 4226988 A	07-10-1980
		US 4136163 A	23-01-1979
		US 4150052 A	17-04-1979
		US 4190643 A	26-02-1980
		ZA 7200421 A	25-10-1972

# INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/US 98/16578

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9706695 A	27-02-1997	AU 6720596 A EP 0844829 A	12-03-1997 03-06-1998
<hr/>			